



ACOUSTIC FURNITURE

Diffuse Individual acoustic screens

Diffuse acoustic screens combine design aesthetics with acoustic practicality to increase acoustic comfort and wellbeing in the workplace. The flexible, modular design includes a range of different sizes and shapes which allows you to define different spaces across large open-plan offices and co-working spaces.

FEATURES

- ▶ Designed and manufactured in the UK
- ▶ All screens are 8mm thick
- ▶ Made from 50% recycled PET
- ▶ Manufacturer's 5 year guarantee
- ▶ All screens pass BS 5852: 2006 Clause 12, Ignition Source 5 (Crib 5)
- ▶ No formaldehyde binders
- ▶ Low VOCs
- ▶ Unique curved ridged design enhances acoustic properties
- ▶ Choice of eight different screen options including straight, curved and corner screens
- ▶ Modular and responsive configurations to suit any space
- ▶ Mobile options with castors available for starter screens
- ▶ BIM/Revit files available to download from www.allsfar.com




Straight starter screens


Comes with two large feet and end caps in horizontal tubes.

CODE	DESCRIPTION	DIMENSIONS (mm)
DSN1400	Narrow low screen	638W x 1400H
DSW1400	Wide low screen	1088W x 1400H
DSN1800	Narrow high screen	638W x 1800H
DSW1800	Wide high screen	1088W x 1800H


For mobile options please add MOB to end of code.




DSN1400 Narrow low screen



DSW1400 Wide low screen




DSN1800 Narrow high screen



DSW1800 Wide high screen

DIFFUSE MOBILE




Mobile option available for all straight, curved and corner starter screens. For mobile options please add MOB to end of code.


Straight add on screens

Comes with one small foot and two links. To be added to a starter screen or WorkBox.


CODE	DESCRIPTION	DIMENSIONS (mm)
DSN1400A	Narrow low add on screen	638W x 1400H
DSW1400A	Wide low add on screen	1088W x 1400H
DSN1800A	Narrow high add on screen	638W x 1800H
DSW1800A	Wide high add on screen	1088W x 1800H




DSN1400A Narrow low add on screen



DSW1400A Wide low add on screen



DSN1800A Narrow high add on screen





DSW1800A Wide high add on screen

Curved starter screens


Comes with two large feet and end caps in horizontal tubes.

CODE	DESCRIPTION	DIMENSIONS (mm)
D12R1400	Curved low screen	1045W x 1400H
D12R1800	Curved high screen	1045W x 1800H


For mobile options please add MOB to end of code.




D12R1400 Curved low screen



D12R1800 Curved high screen



D12R1400A Curved low add on screen



D12R1800A Curved high add on screen

Curved add on screens

Comes with one small foot and two links.


CODE	DESCRIPTION	DIMENSIONS (mm)
D12R1400A	Curved low add on screen	1045W x 1400H
D12R1800A	Curved high add on screen	1045W x 1800H

Corner starter screens

Comes with two large feet and end caps in horizontal tubes.


CODE	DESCRIPTION	DIMENSIONS (mm)
DC1400	Corner low screen	790W x 1400H
DC1800	Corner high screen	790W x 1800H

For mobile options please add MOB to end of code.



DC1400 Corner low screen

DC1800 Corner high screen



DC1400A Corner low add on screen


DC1800A Corner high add on screen

Corner add on screens

Comes with one small foot and two links.


CODE	DESCRIPTION	DIMENSIONS (mm)
DC1400A	Corner low add on screen	790W x 1400H
DC1800A	Corner high add on screen	790W x 1800H

DIFFUSE MOBILE




Mobile option available for all straight, curved and corner starter screens. For mobile options please add MOB to end of code.

LINK CONNECTOR FOR DIFFUSE SCREENS




FEET

CODE	DESCRIPTION	DIMENSIONS (mm)
DF01	Large foot (for long runs of straight screens)	400 x 40



SCREEN COLOURS




LIGHT GREY



DARK GREY

STEEL FRAME COLOUR



Other frame colours available for large quantities, please contact us for more information.

Care Instructions

Our products are extremely durable and require little attention to maintain their good looks. Light dusting on a regular basis will prevent dust build up and most marks can be cleaned with a mild detergent solution followed by rinsing and blotting. Stains should be dealt with according to the chart below.

Before carrying out a proposed cleaning method, apply to a concealed section to ensure it will not affect the product or adhesive. Avoid cleaning methods that create severe abrasion. NB: Solvent and mineral based cleaners should be used sparingly to avoid possible degradation of the adhesive adhering the product to the substrate.

Professional Cleaning Methods

Stain	Treatment Guide
Blood	A, C
Burn/Scorch Mark	K
Chewing Gum	I, B, D, C
Chocolate	B, D, C
Cooking Oils	B, D, C
Crayon/Colour Markers	B, D, C
Drinks	A, C
Dust/Dirt	Vacuum, then J or C
Excrement	B, C
Grass	C
Grease	B, D, C
Ink (ballpoint)	D, E
Ink (fountain)	A, C
Lipstick	B, E, C, D
Mildew	C
Milk	A, E
Mud	B, C
Nail Polish	A, G
Oil	B, D, C
Paint (water based)	A, F, C
Paint (oil based)	A, H, D, C
Sauces	B, C, D
Shoe Polish	B, C, D
Urine	A, C
Vomit	A, C, D
Wine	A, Add Salt, C

Key

- A** Mop up excess as soon as possible with a sponge or cloth.

- B** Remove surplus with a knife edge or appropriate instrument.

- C** Sponge with a solution of carpet shampoo working from well outside the stain in a circular motion towards the centre (this avoids spreading the stain). Sponge afterwards with clean warm water and mop excess moisture with a clean dry cloth or sponge. Allow to dry then brush gently with a soft brush. If any stain remains, sponge with a solution of one part household bleach to six parts clear water. Thoroughly rinse after treatment.

- D** Lightly sponge with household dry cleaning fluid and blot. Apply sparingly, as the substance may have an adverse effect on the adhesive.

- E** Sponge with methylated spirits and blot dry.

- F** Lubricate the stain with glycerine or petroleum jelly.

- G** Apply nail polish remover. The nail polish remover should not include lanolin or be of a greasy nature.

- H** Sponge with turpentine (or substitute).

- I** Freeze with ice cubes and scrape away while cold.

- J** Clean with regular extractive carpet cleaner (if possible).

- K** Use circular cutter and remover damaged portion. Re-glue new piece into place.

Please contact us for a detailed installation guide.